



*Innovative Solutions for Industry
and the Environment*

Chemical Solvents, Inc.

February 28, 2013

Office of Enforcement and Compliance Assurance
Office of Federal Activities, International Compliance Assurance Division
Mail Code 2254A
Environmental Protection Agency
1200 Pennsylvania Avenue, NW
Washington, DC 20460

Dear Sir or Madam:

I am pleased to submit the following annual report for the exportation of hazardous waste for the following facility:

**Chemical Solvents, Incorporated
1010 Denison Road
Cleveland, Ohio 44109
EPA ID: OHID980897656**

The calendar year covered by the attached report is:

2012


The consignees reflected in this report are:

**Stablex Canada, Inc.
760 Industrial Boulevard
Blainville, QU, Canada, J7C 3V4**



CHEMICAL SALES • SOLVENT RECLAIMING • SPECIALTY BLENDING

www.chemicalsolvents.com




3751 Jennings Road • Cleveland, Ohio 44109 • (216) 741-9310 • Fax: (216) 741-4080 • Toll Free (800) 362-0693

Because CSI is a TSDF, an overwhelming majority of the waste exported by CSI is generated by other facilities. Therefore, there is no plan to reduce the amount of hazardous waste exported by Chemical Solvents, Inc.

Generator Certification

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

Executed on February 28, 2013



Signature

Christopher Rander, Analytical Manager

SUMMARY SHEET

FC0000000045 Stablex Canada, Inc.

UN#	NUMBER OF SHIPMENTS	TOTAL SHIPPED	UNIT
UN1479	6.00	2,388.00	P
UN1755	2.00	1,785.00	P
UN1789	5.00	67,760.00	P
UN1805	4.00	5,850.00	P
UN1813	1.00	210.00	P
UN1814	2.00	2,750.00	P
UN1823	2.00	1,600.00	P
UN1824	3.00	18,010.00	P
UN1830	1.00	550.00	P
UN2031	1.00	50.00	P
UN2794	2.00	1,050.00	P
UN3084	1.00	800.00	P
UN3098	4.00	6,360.00	P
UN3139	5.00	2,395.00	P
UN3208	1.00	10.00	P
UN3244	2.00	4,400.00	P
UN3260	3.00	4,800.00	P
UN3262	1.00	20.00	P
UN3264	6.00	97,815.00	P
UN3265	1.00	3,300.00	P
UN3266	2.00	640.00	P
UN3289	1.00	3,300.00	P

DATE	MANIFEST #
3/7/2012	008945010JJK
5/15/2012	008945078JJK
8/7/2012	008945148JJK
9/18/2012	008945189JJK
10/3/2012	008945205JJK
11/27/2012	008945254JJK

Consignee:

**FC0000000045
NYD980756415**

**Stablex Canada, Inc.
760 Industrial Boulevard
Blainville QU J7C3V4**

450-430-9230

Hazardous Waste Description:

SB HAZARDOUS WASTE BATTERIES

Quantity Shipped in 2012: **550** UOM: **P** Density: **1.00**

EPA waste codes:

D002 D008

Date	Quantity Unit	Transporter UN #	Transporter Name US DOT Proper Shipping Name & Hazard Class
5/15/2012	P 550	FC0000000072 NYF006000053 UN2794	Rollex Transport Ltd. WASTE BATTERIES, WET, FILLED WITH ACID, 8

Consignee:

**FC0000000045
NYD980756415**

**Stablex Canada, Inc.
760 Industrial Boulevard
Blainville QU J7C3V4**

450-430-9230

Hazardous Waste Description:

SF SOLIDS, RAGS AND DEBRIS

Quantity Shipped in 2012: **3600** UOM: **P** Density: **1.00**

EPA waste codes:

D001	D002	D004	D005	D006	D007
D008	D009	D010	D011	D018	D019
D022	D026	F004	D035	D039	D040
F001	F002	F003	F005	U223	U239

Date	Quantity Unit	Transporter UN #	Transporter Name US DOT Proper Shipping Name & Hazard Class
5/15/2012	P 800	FC0000000072 NYF006000053 UN3260	Rollex Transport Ltd. WASTE CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S, 8
11/27/2012	P 2800	FC0000000072 NYF006000053 UN3244	Rollex Transport Ltd. WASTE SOLIDS CONTAINING CORROSIVE LIQUID, N.O.S, 8

Consignee:

**FC0000000045
NYD980756415**

**Stablex Canada, Inc.
760 Industrial Boulevard
Blainville QU J7C3V4**

450-430-9230

Hazardous Waste Description:

SO SOLID OXIDIZERS

Quantity Shipped in 2012: **5593** UOM: **P** Density: **1.00**

EPA waste codes:

D001 D011 D007 D002

Date	Quantity Unit	Transporter UN #	Transporter Name US DOT Proper Shipping Name & Hazard Class
3/7/2012	P 60	FC0000000072 NYF006000053 UN1479	Rollex Transport Ltd. WASTE OXIDIZING SUBSTANCES, SOLID, N.O.S., 5.1
3/7/2012	P 500	FC0000000072 NYF006000053 UN3098	Rollex Transport Ltd. Waste Oxidizing Liquid, Corrosive N.O.S., 5.1.
3/7/2012	P 45	FC0000000072 NYF006000053 UN3139	Rollex Transport Ltd. Waste Oxidizing Solid, Corrosive N.O.S.
5/15/2012	P 450	FC0000000072 NYF006000053 UN1479	Rollex Transport Ltd. WASTE OXIDIZING SUBSTANCES, SOLID, N.O.S., 5.1

Date	Quantity Unit	Transporter UN #	Transporter Name US DOT Proper Shipping Name & Hazard Class
5/15/2012	P 650	FC0000000072 NYF006000053 UN3098	Rollex Transport Ltd. Waste Oxidizing Liquid, Corrosive N.O.S., 5.1.
5/15/2012	P 100	FC0000000072 NYF006000053 UN3139	Rollex Transport Ltd. Waste Oxidizing Solid, Corrosive N.O.S.
8/7/2012	P 70	FC0000000072 NYF006000053 UN1479	Rollex Transport Ltd. WASTE OXIDIZING SUBSTANCES, SOLID, N.O.S., 5.1
8/7/2012	P 550	FC0000000072 NYF006000053 UN3139	Rollex Transport Ltd. Waste Oxidizing Solid, Corrosive N.O.S.
9/18/2012	P 1220	FC0000000072 NYF006000053 UN1479	Rollex Transport Ltd. WASTE OXIDIZING SUBSTANCES, SOLID, N.O.S., 5.1
9/18/2012	P 160	FC0000000072 NYF006000053 UN3098	Rollex Transport Ltd. Waste Oxidizing Liquid, Corrosive N.O.S., 5.1.
10/3/2012	P 168	FC0000000072 NYF006000053 UN1479	Rollex Transport Ltd. WASTE OXIDIZING SUBSTANCES, SOLID, N.O.S., 5.1
10/3/2012	P 50	FC0000000072 NYF006000053 UN3098	Rollex Transport Ltd. Waste Oxidizing Liquid, Corrosive N.O.S., 5.1.
10/3/2012	P 1150	FC0000000072 NYF006000053 UN3139	Rollex Transport Ltd. Waste Oxidizing Solid, Corrosive N.O.S.
11/27/2012	P 420	FC0000000072 NYF006000053 UN1479	Rollex Transport Ltd. WASTE OXIDIZING SUBSTANCES, SOLID, N.O.S., 5.1

Consignee:

**FC0000000045
NYD980756415**

**Stablex Canada, Inc.
760 Industrial Boulevard
Blainville QU J7C3V4**

450-430-9230

Hazardous Waste Description:

WAC USED OR OFFSPEC ACIDS / CAUSTICS

Quantity Shipped in 2012: **216100** UOM: **P** Density: **1.00**

EPA waste codes:

D008 D002 D010 D006 D007

Date	Quantity Unit	Transporter UN #	Transporter Name US DOT Proper Shipping Name & Hazard Class
3/7/2012	P 135	FC0000000072 NYF006000053 UN1755	Rollex Transport Ltd. Waste Chromic Acid, Solution, 8,
3/7/2012	P 1670	FC0000000072 NYF006000053 UN1789	Rollex Transport Ltd. Waste Hydrochloric Acid, 8
3/7/2012	P 2000	FC0000000072 NYF006000053 UN1805	Rollex Transport Ltd. Waste Phosphoric Acid, 8
3/7/2012	P 9760	FC0000000072 NYF006000053 UN1824	Rollex Transport Ltd. Waste Sodium Hydroxide, Solution, 8

Date	Quantity Unit	Transporter UN #	Transporter Name US DOT Proper Shipping Name & Hazard Class
3/7/2012	P 500	FC0000000072 NYF006000053 UN2794	Rollex Transport Ltd. WASTE BATTERIES, WET, FILLED WITH ACID, 8
3/7/2012	P 800	FC0000000072 NYF006000053 UN3084	Rollex Transport Ltd. Waste Corrosive Solid Oxidizing, N.O.S., 8
3/7/2012	P 1600	FC0000000072 NYF006000053 UN3244	Rollex Transport Ltd. WASTE SOLIDS CONTAINING CORROSIVE LIQUID, N.O.S, 8
3/7/2012	P 400	FC0000000072 NYF006000053 UN3260	Rollex Transport Ltd. WASTE CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S, 8
3/7/2012	P 20	FC0000000072 NYF006000053 UN3262	Rollex Transport Ltd. WASTE CORROSIVE SOLID, BASIC, INORGANIC, N.O.S., 8
3/7/2012	P 14260	FC0000000072 NYF006000053 UN3264	Rollex Transport Ltd. WASTE CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S, 8
3/7/2012	P 90	FC0000000072 NYF006000053 UN3266	Rollex Transport Ltd. WASTE CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S, 8
5/15/2012	P 21890	FC0000000072 NYF006000053 UN1789	Rollex Transport Ltd. Waste Hydrochloric Acid, 8
5/15/2012	P 1350	FC0000000072 NYF006000053 UN1805	Rollex Transport Ltd. Waste Phosphoric Acid, 8
5/15/2012	P 1200	FC0000000072 NYF006000053 UN1823	Rollex Transport Ltd. Waste Sodium Hydroxide, Solid, 8
5/15/2012	P 3200	FC0000000072 NYF006000053 UN3260	Rollex Transport Ltd. WASTE CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S, 8
5/15/2012	P 15500	FC0000000072 NYF006000053 UN3264	Rollex Transport Ltd. WASTE CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S, 8
5/15/2012	P 550	FC0000000072 NYF006000053 UN3266	Rollex Transport Ltd. WASTE CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S, 8

Date	Quantity Unit	Transporter UN #	Transporter Name US DOT Proper Shipping Name & Hazard Class
8/7/2012	P 1650	FC0000000072 NYF006000053 UN1789	Rollex Transport Ltd. Waste Hydrochloric Acid, 8
8/7/2012	P 2200	FC0000000072 NYF006000053 UN1805	Rollex Transport Ltd. Waste Phosphoric Acid, 8
8/7/2012	P 550	FC0000000072 NYF006000053 UN1814	Rollex Transport Ltd. Waste Potassium Hydroxide, Solution, 8
8/7/2012	P 6600	FC0000000072 NYF006000053 UN1824	Rollex Transport Ltd. Waste Sodium Hydroxide, Solution, 8
8/7/2012	P 550	FC0000000072 NYF006000053 UN1830	Rollex Transport Ltd. Waste Sulfuric Acid, 8
8/7/2012	P 13455	FC0000000072 NYF006000053 UN3264	Rollex Transport Ltd. WASTE CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., 8
9/18/2012	P 1650	FC0000000072 NYF006000053 UN1755	Rollex Transport Ltd. Waste Chromic Acid, Solution, 8,
9/18/2012	P 550	FC0000000072 NYF006000053 UN3139	Rollex Transport Ltd. Waste Oxidizing Solid, Corrosive N.O.S.
9/18/2012	P 40550	FC0000000072 NYF006000053 UN3264	Rollex Transport Ltd. WASTE CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., 8
9/18/2012	P 3300	FC0000000072 NYF006000053 UN3289	Rollex Transport Ltd.
10/3/2012	P 25550	FC0000000072 NYF006000053 UN1789	Rollex Transport Ltd. Waste Hydrochloric Acid, 8
10/3/2012	P 50	FC0000000072 NYF006000053 UN2031	Rollex Transport Ltd. Waste Nitric Acid, 8
10/3/2012	P 5000	FC0000000072 NYF006000053 UN3098	Rollex Transport Ltd. Waste Oxidizing Liquid, Corrosive N.O.S., 5.1.

Date	Quantity Unit	Transporter UN #	Transporter Name US DOT Proper Shipping Name & Hazard Class
10/3/2012	P 5250	FC0000000072 NYF006000053 UN3264	Rollex Transport Ltd. WASTE CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., 8
11/27/2012	P 17000	FC0000000072 NYF006000053 UN1789	Rollex Transport Ltd. Waste Hydrochloric Acid, 8
11/27/2012	P 300	FC0000000072 NYF006000053 UN1805	Rollex Transport Ltd. Waste Phosphoric Acid, 8
11/27/2012	P 210	FC0000000072 NYF006000053 UN1813	Rollex Transport Ltd. Waste Potassium Hydroxide, Solid, 8
11/27/2012	P 2200	FC0000000072 NYF006000053 UN1814	Rollex Transport Ltd. Waste Potassium Hydroxide, Solution, 8
11/27/2012	P 400	FC0000000072 NYF006000053 UN1823	Rollex Transport Ltd. Waste Sodium Hydroxide, Solid, 8
11/27/2012	P 1650	FC0000000072 NYF006000053 UN1824	Rollex Transport Ltd. Waste Sodium Hydroxide, Solution, 8
11/27/2012	P 10	FC0000000072 NYF006000053 UN3208	Rollex Transport Ltd.
11/27/2012	P 400	FC0000000072 NYF006000053 UN3260	Rollex Transport Ltd. WASTE CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S., 8
11/27/2012	P 8800	FC0000000072 NYF006000053 UN3264	Rollex Transport Ltd. WASTE CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., 8
11/27/2012	P 3300	FC0000000072 NYF006000053 UN3265	Rollex Transport Ltd. WASTE CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S., 8



UNITED STATES ENVIRONMENTAL
PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
ENFORCEMENT AND COMPLIANCE
ASSURANCE

May 3, 2011

CHRIS RANDER
CHEMICAL SOLVENTS, INC.
1010 DENISON AVE.,
CLEVELAND, OH US 44109
OHD980897656

Re: Foreign Notice ID:
EPA Notice ID: 001889/2E/11

Dear CHRIS RANDER:

This is to acknowledge receipt of your notice, which was received by EPA on February 2, 2011, of intent to export hazardous waste to Canada as required by Title 40, Code of Federal Regulations, Part 262, Subpart E, Section 262.53 promulgated pursuant to the Resource Conservation and Recovery Act (RCRA). In accordance with the U.S.-Canada Bilateral Agreement on the Transboundary Movement of Hazardous Waste, the U.S. Environmental Protection Agency (EPA) forwarded your notice to the Government of Canada and Canada has no objection to your shipment(s) of hazardous waste.

This letter constitutes the EPA Acknowledgment of Consent for the export of the following hazardous waste as specified in your notice:

Waste Stream 1: CONTAMINATED SOIL

Waste Description: CONTAMINATED SOIL

EPA Waste Code:

DOT Shipping Name: Hazardous waste, solid, n.o.s., Environmentally hazardous substances, solid, n.o.s.

DOT Hazard Class: 9

DOT I.D. No. NA3077, UN3077

Total Volume to be Exported: 2000 US Tons - (2,000 pounds)

Estimated Frequency: 140 loads Annually

Waste Stream 2: ALKALINE CHROME SOLID

Waste Description: ALKALINE CHROME SOLID

EPA Waste Code:

DOT Shipping Name: Hazardous waste, solid, n.o.s., Environmentally hazardous substances, solid, n.o.s.

DOT Hazard Class: 9

DOT I.D. No. NA3077, UN3077

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 3: CONTAMINATED SOIL

Waste Description: CONTAMINATED SOIL

EPA Waste Code:

DOT Shipping Name: Hazardous waste, solid, n.o.s., Environmentally hazardous substances, solid, n.o.s.

DOT Hazard Class: 9

DOT I.D. No. NA3077, UN3077

Total Volume to be Exported: 2000 US Tons - (2,000 pounds)

Estimated Frequency: 140 loads Annually

Waste Stream 4: NEUTRAL SOLID

Waste Description: NEUTRAL SOLID

EPA Waste Code:

DOT Shipping Name: Hazardous waste, solid, n.o.s., Environmentally hazardous substances, solid, n.o.s.

DOT Hazard Class: 9

DOT I.D. No. NA3077, UN3077

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 5: CONTAMINATED SOIL

Waste Description: CONTAMINATED SOIL

EPA Waste Code:

DOT Shipping Name: Hazardous waste, solid, n.o.s., Environmentally hazardous substances, solid, n.o.s.

DOT Hazard Class: 9

DOT I.D. No. NA3077, UN3077

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 6: CONTAMINATED SOIL

Waste Description: CONTAMINATED SOIL

EPA Waste Code:

DOT Shipping Name: Hazardous waste, solid, n.o.s., Environmentally hazardous substances, solid, n.o.s.

DOT Hazard Class: 9

DOT I.D. No. NA3077,UN3077

Total Volume to be Exported: 2000 US Tons - (2,000 pounds)

Estimated Frequency: 140 loads Annually

Waste Stream 7: NEUTRAL SOLID

Waste Description: NEUTRAL SOLID

EPA Waste Code:

DOT Shipping Name: Hazardous waste, solid, n.o.s.,Environmentally hazardous substances, solid, n.o.s.

DOT Hazard Class: 9

DOT I.D. No. NA3077,UN3077

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 8: CONTAMINATED SOIL

Waste Description: CONTAMINATED SOIL

EPA Waste Code:

DOT Shipping Name: Hazardous waste, solid, n.o.s.,Environmentally hazardous substances, solid, n.o.s.

DOT Hazard Class: 9

DOT I.D. No. NA3077,UN3077

Total Volume to be Exported: 2000 US Tons - (2,000 pounds)

Estimated Frequency: 140 loads Annually

Waste Stream 9: NEUTRAL SOLID

Waste Description: NEUTRAL SOLID

EPA Waste Code:

DOT Shipping Name: Hazardous waste, solid, n.o.s.,Environmentally hazardous substances, solid, n.o.s.

DOT Hazard Class: 9

DOT I.D. No. NA3077,UN3077

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 10: CONTAMINATED SOIL

Waste Description: CONTAMINATED SOIL

EPA Waste Code:

DOT Shipping Name: Hazardous waste, liquid, n.o.s.,Environmentally hazardous substances, solid, n.o.s.

DOT Hazard Class:

DOT I.D. No. NA3082,UN3077

Total Volume to be Exported: 2000 US Tons - (2,000 pounds)

Estimated Frequency: 140 loads Annually

Waste Stream 11: NEUTRAL SOLID

Waste Description: NEUTRAL SOLID

14 +3

EPA Waste Code:

DOT Shipping Name: Environmentally hazardous substances, solid, n.o.s.

DOT Hazard Class: 9

DOT I.D. No. UN3077

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 12: CONTAMINATED SOIL

Waste Description: CONTAMINATED SOIL

EPA Waste Code:

DOT Shipping Name: Environmentally hazardous substances, solid, n.o.s.

DOT Hazard Class: 9

DOT I.D. No. UN3077

Total Volume to be Exported: 2000 US Tons - (2,000 pounds)

Estimated Frequency: 140 loads Annually

Waste Stream 13: NEUTRAL SOLID

Waste Description: NEUTRAL SOLID

EPA Waste Code:

DOT Shipping Name: Environmentally hazardous substances, solid, n.o.s.

DOT Hazard Class: 9

DOT I.D. No. UN3077

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 14: CONTAMINATED SOIL

Waste Description: CONTAMINATED SOIL

EPA Waste Code:

DOT Shipping Name: Environmentally hazardous substances, solid, n.o.s.

DOT Hazard Class: 9

DOT I.D. No. UN3077

Total Volume to be Exported: 2000 US Tons - (2,000 pounds)

Estimated Frequency: 140 loads Annually

Waste Stream 15: NEUTRAL SOLID

Waste Description: NEUTRAL SOLID

EPA Waste Code:

DOT Shipping Name: Environmentally hazardous substances, solid, n.o.s.

DOT Hazard Class: 9

DOT I.D. No. UN3077

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 16: CONTAMINATED SOIL

Waste Description: CONTAMINATED SOIL

EPA Waste Code:

DOT Shipping Name: Environmentally hazardous substances, solid, n.o.s.
DOT Hazard Class: 9
DOT I.D. No. UN3077
Total Volume to be Exported: 2000 US Tons - (2,000 pounds)
Estimated Frequency: 140 loads Annually

Waste Stream 17: NEUTRAL SOLID

Waste Description: NEUTRAL SOLID
EPA Waste Code:
DOT Shipping Name: Environmentally hazardous substances, solid, n.o.s.
DOT Hazard Class: 9
DOT I.D. No. UN3077
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 18: CONTAMINATED SOIL

Waste Description: CONTAMINATED SOIL
EPA Waste Code:
DOT Shipping Name: Environmentally hazardous substances, solid, n.o.s.
DOT Hazard Class: 9
DOT I.D. No. UN3077
Total Volume to be Exported: 2000 US Tons - (2,000 pounds)
Estimated Frequency: 140 loads Annually

Waste Stream 19: NEUTRAL LIQUID

Waste Description: NEUTRAL LIQUID
EPA Waste Code:
DOT Shipping Name: Hazardous waste, liquid, n.o.s., Environmentally hazardous substances, liquid, n.o.s.
DOT Hazard Class: 9
DOT I.D. No. NA3082, UN3082
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 20: ALKALINE CHROME LIQUID

Waste Description: ALKALINE CHROME LIQUID
EPA Waste Code:
DOT Shipping Name: Hazardous waste, liquid, n.o.s., Environmentally hazardous substances, liquid, n.o.s.
DOT Hazard Class: 9
DOT I.D. No. NA3082, UN3082
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 21: NEUTRAL LIQUID

Waste Description: NEUTRAL LIQUID

EPA Waste Code:

DOT Shipping Name: Hazardous waste, liquid, n.o.s., Environmentally hazardous substances, liquid, n.o.s.

DOT Hazard Class: 9

DOT I.D. No. NA3082, UN3082

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 22: NEUTRAL LIQUID

Waste Description: NEUTRAL LIQUID

EPA Waste Code:

DOT Shipping Name: Hazardous waste, liquid, n.o.s., Environmentally hazardous substances, liquid, n.o.s.

DOT Hazard Class: 9

DOT I.D. No. NA3082, UN3082

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 23: NEUTRAL LIQUID

Waste Description: NEUTRAL LIQUID

EPA Waste Code:

DOT Shipping Name: Hazardous waste, liquid, n.o.s., Environmentally hazardous substances, liquid, n.o.s.

DOT Hazard Class: 9

DOT I.D. No. NA3082, UN3082

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 24: MERCURY LIQUID/NEUTRAL LIQUID

Waste Description: MERCURY LIQUID/NEUTRAL LIQUID

EPA Waste Code:

DOT Shipping Name: Hazardous waste, liquid, n.o.s., Environmentally hazardous substances, liquid, n.o.s.

DOT Hazard Class: 9

DOT I.D. No. NA3082, UN3082

Total Volume to be Exported: 500 US Tons - (2,000 pounds)

Estimated Frequency: 80 loads Annually

Waste Stream 25: NEUTRAL LIQUID

Waste Description: NEUTRAL LIQUID

EPA Waste Code:

DOT Shipping Name: Hazardous waste, liquid, n.o.s., Environmentally hazardous substances, liquid, n.o.s.

DOT Hazard Class: 9

DOT I.D. No. NA3082, UN3082

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 26: NEUTRAL LIQUID

Waste Description: NEUTRAL LIQUID

EPA Waste Code:

DOT Shipping Name: Environmentally hazardous substances, liquid, n.o.s.

DOT Hazard Class: 9

DOT I.D. No. UN3082

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 27: NEUTRAL LIQUID

Waste Description: NEUTRAL LIQUID

EPA Waste Code:

DOT Shipping Name: Environmentally hazardous substances, liquid, n.o.s.

DOT Hazard Class: 9

DOT I.D. No. UN3082

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 28: CHROMIC ACID SOLID

Waste Description: CHROMIC ACID SOLID

EPA Waste Code:

DOT Shipping Name: Chromium trioxide, anhydrous

DOT Hazard Class: 5.1

DOT I.D. No. UN1463

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 29: OXIDIZER SOLID

Waste Description: OXIDIZER SOLID

EPA Waste Code:

DOT Shipping Name: Oxidizing solid, n.o.s.

DOT Hazard Class: 5.1

DOT I.D. No. UN1479

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 30: OXIDIZER SOLID

Waste Description: OXIDIZER SOLID

EPA Waste Code:

DOT Shipping Name: Sodium nitrate

DOT Hazard Class: 6.1

DOT I.D. No. UN1498

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

18 1/5

Waste Stream 31: OXIDIZER SOLID

Waste Description: OXIDIZER SOLID

EPA Waste Code:

DOT Shipping Name: Sodium nitrite

DOT Hazard Class: 6.1

DOT I.D. No. UN1500

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 32: CYANIDE SOLID

Waste Description: CYANIDE SOLID

EPA Waste Code:

DOT Shipping Name: Cyanides, inorganic, solid, n.o.s.

DOT Hazard Class: 6.1

DOT I.D. No. UN1588

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 33: ALKALINE LIQUID

Waste Description: ALKALINE LIQUID

EPA Waste Code:

DOT Shipping Name: Caustic alkali liquids, n.o.s.

DOT Hazard Class: 6.1

DOT I.D. No. UN1719

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 34: CHROMIC ACID LIQUID

Waste Description: CHROMIC ACID LIQUID

EPA Waste Code:

DOT Shipping Name: Chromic acid solution

DOT Hazard Class: 6.1

DOT I.D. No. UN1755

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 35: ACID LIQUID MIXED

Waste Description: ACID LIQUID MIXED

EPA Waste Code:

DOT Shipping Name: Ferrous chloride, solution

DOT Hazard Class: 6.1

DOT I.D. No. NA1760

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 36: ALKALINE LIQUID

Waste Description: ALKALINE LIQUID

EPA Waste Code:

DOT Shipping Name: Ferrous chloride, solution

DOT Hazard Class: 6.1

DOT I.D. No. NA1760

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 37: ACID LIQUID MIXED

Waste Description: ACID LIQUID MIXED

EPA Waste Code:

DOT Shipping Name: Hydrochloric acid

DOT Hazard Class: 6.1

DOT I.D. No. UN1789

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 38: ACID LIQUID MIXED

Waste Description: ACID LIQUID MIXED

EPA Waste Code:

DOT Shipping Name: Phosphoric acid solution

DOT Hazard Class: 6.1

DOT I.D. No. UN1805

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 39: ALKALINE SOLID

Waste Description: ALKALINE SOLID

EPA Waste Code:

DOT Shipping Name: Potassium hydroxide, solid

DOT Hazard Class: 6.1

DOT I.D. No. UN1813

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 40: ALKALINE LIQUID

Waste Description: ALKALINE LIQUID

EPA Waste Code:

DOT Shipping Name: Potassium hydroxide, solution

DOT Hazard Class: 8

DOT I.D. No. UN1814

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 41: ALKALINE SOLID

Waste Description: ALKALINE SOLID

EPA Waste Code:

DOT Shipping Name: Sodium hydroxide, solid

DOT Hazard Class: 8

DOT I.D. No. UN1823

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 42: ALKALINE LIQUID

Waste Description: ALKALINE LIQUID

EPA Waste Code:

DOT Shipping Name: Sodium hydroxide solution

DOT Hazard Class: 8

DOT I.D. No. UN1824

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 43: ACID LIQUID MIXED

Waste Description: ACID LIQUID MIXED

EPA Waste Code:

DOT Shipping Name: Sulfuric acid with more than 51 percent acid

DOT Hazard Class: 6.1

DOT I.D. No. UN1830

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 44: CYANIDE LIQUID

Waste Description: CYANIDE LIQUID

EPA Waste Code:

DOT Shipping Name: Cyanide solutions, n.o.s.

DOT Hazard Class: 6.1

DOT I.D. No. UN1935

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 45: MERCURY LIQUID

Waste Description: MERCURY LIQUID

EPA Waste Code:

DOT Shipping Name: Mercury compounds, liquid, n.o.s.

DOT Hazard Class: 6.1

DOT I.D. No. UN2024

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 46: MERCURY SOLID

Waste Description: MERCURY SOLID

EPA Waste Code:

DOT Shipping Name: Mercury compounds, solid, n.o.s.

DOT Hazard Class: 6.1

DOT I.D. No. UN2025

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 47: ACID LIQUID MIXED

Waste Description: ACID LIQUID MIXED

EPA Waste Code:

DOT Shipping Name: Nitric acid other than red fuming, with not more than 20 percent nitric acid

DOT Hazard Class: 8

DOT I.D. No. UN2031

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 48: WASTE BATTERIES

Waste Description: WASTE BATTERIES

EPA Waste Code:

DOT Shipping Name: Batteries, wet, filled with acid, electric storage

DOT Hazard Class: 8

DOT I.D. No. UN2794

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 49: WASTE BATTERIES

Waste Description: WASTE BATTERIES

EPA Waste Code:

DOT Shipping Name: Batteries, wet, filled with alkali, electric storage

DOT Hazard Class: 6.1

DOT I.D. No. UN2795

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 50: NEUTRAL LIQUID

Waste Description: NEUTRAL LIQUID

EPA Waste Code:

DOT Shipping Name: Toxic, liquids, organic, n.o.s.

DOT Hazard Class: 6.1

DOT I.D. No. UN2810

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 51: NEUTRAL SOLID

Waste Description: NEUTRAL SOLID

EPA Waste Code:

DOT Shipping Name: Toxic solids, organic, n.o.s.

DOT Hazard Class: 4.3

DOT I.D. No. UN2811

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 52: WASTE BATTERIES

Waste Description: WASTE BATTERIES

EPA Waste Code:

DOT Shipping Name: Water-reactive solid, n.o.s.

DOT Hazard Class: 8

DOT I.D. No. UN2813

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 53: ACID LIQUID MIXED

Waste Description: ACID LIQUID MIXED

EPA Waste Code:

DOT Shipping Name: Corrosive liquids, toxic, n.o.s.

DOT Hazard Class: 8

DOT I.D. No. UN2922

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 54: MERCURY LIQUID

Waste Description: MERCURY LIQUID

EPA Waste Code:

DOT Shipping Name: Corrosive liquids, toxic, n.o.s.

DOT Hazard Class: 8

DOT I.D. No. UN2922

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 55: MERCURY LIQUID

Waste Description: MERCURY LIQUID

EPA Waste Code:

DOT Shipping Name: Corrosive liquids, toxic, n.o.s.

DOT Hazard Class: 8

DOT I.D. No. UN2922

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 56: ACID SOLID

Waste Description: ACID SOLID

EPA Waste Code:

DOT Shipping Name: Corrosive solids, toxic, n.o.s.
DOT Hazard Class: 8
DOT I.D. No. UN2923
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 57: ALKALINE SOLID

Waste Description: ALKALINE SOLID
EPA Waste Code:
DOT Shipping Name: Corrosive solids, toxic, n.o.s.
DOT Hazard Class: 8
DOT I.D. No. UN2923
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 58: WASTE BATTERIES

Waste Description: WASTE BATTERIES
EPA Waste Code:
DOT Shipping Name: Batteries, dry, containing potassium hydroxide solid, electric,
storage
DOT Hazard Class: 8
DOT I.D. No. UN3028
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 59: ACID SOLID

Waste Description: ACID SOLID
EPA Waste Code:
DOT Shipping Name: Corrosive solids, oxidizing, n.o.s.
DOT Hazard Class: 8
DOT I.D. No. UN3084
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 60: CHROMIC ACID SOLID

Waste Description: CHROMIC ACID SOLID
EPA Waste Code:
DOT Shipping Name: Corrosive solids, oxidizing, n.o.s.
DOT Hazard Class: 8
DOT I.D. No. UN3084
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 61: ALKALINE CHROME SOLID

Waste Description: ALKALINE CHROME SOLID
EPA Waste Code:

DOT Shipping Name: Corrosive solids, oxidizing, n.o.s.
DOT Hazard Class: 8
DOT I.D. No. UN3084
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 62: ALKALINE SOLID

Waste Description: ALKALINE SOLID
EPA Waste Code:
DOT Shipping Name: Corrosive solids, oxidizing, n.o.s.
DOT Hazard Class: 5.1
DOT I.D. No. UN3084
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 63: CHROMIC ACID SOLID

Waste Description: CHROMIC ACID SOLID
EPA Waste Code:
DOT Shipping Name: Oxidizing solid, corrosive, n.o.s.
DOT Hazard Class: 5.1
DOT I.D. No. UN3085
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 64: ALKALINE CHROME SOLID

Waste Description: ALKALINE CHROME SOLID
EPA Waste Code:
DOT Shipping Name: Oxidizing solid, corrosive, n.o.s.
DOT Hazard Class: 5.1
DOT I.D. No. UN3085
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 65: OXIDIZER SOLID

Waste Description: OXIDIZER SOLID
EPA Waste Code:
DOT Shipping Name: Oxidizing solid, corrosive, n.o.s.
DOT Hazard Class: 5.1
DOT I.D. No. UN3085
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 66: OXIDIZER SOLID

Waste Description: OXIDIZER SOLID
EPA Waste Code:
DOT Shipping Name: Oxidizing solid, toxic, n.o.s.

DOT Hazard Class: 9
DOT I.D. No. UN3087
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 67: WASTE BATTERIES

Waste Description: WASTE BATTERIES
EPA Waste Code:
DOT Shipping Name: Lithium battery
DOT Hazard Class: 8
DOT I.D. No. UN3090
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 68: ACID LIQUID MIXED

Waste Description: ACID LIQUID MIXED
EPA Waste Code:
DOT Shipping Name: Corrosive liquids, oxidizing, n.o.s.
DOT Hazard Class: 8
DOT I.D. No. UN3093
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 69: CHROMIC ACID LIQUID

Waste Description: CHROMIC ACID LIQUID
EPA Waste Code:
DOT Shipping Name: Corrosive liquids, oxidizing, n.o.s.
DOT Hazard Class: 8
DOT I.D. No. UN3093
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 70: ALKALINE CHROME LIQUID

Waste Description: ALKALINE CHROME LIQUID
EPA Waste Code:
DOT Shipping Name: Corrosive liquids, oxidizing, n.o.s.
DOT Hazard Class: 8
DOT I.D. No. UN3093
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 71: ALKALINE LIQUID

Waste Description: ALKALINE LIQUID
EPA Waste Code:
DOT Shipping Name: Corrosive liquids, oxidizing, n.o.s.
DOT Hazard Class: 5.1

DOT I.D. No. UN3093

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 72: CHROMIC ACID LIQUID

Waste Description: CHROMIC ACID LIQUID

EPA Waste Code:

DOT Shipping Name: Oxidizing liquid, corrosive, n.o.s.

DOT Hazard Class: 5.1

DOT I.D. No. UN3098

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 73: OXIDIZER LIQUID

Waste Description: OXIDIZER LIQUID

EPA Waste Code:

DOT Shipping Name: Oxidizing liquid, corrosive, n.o.s.

DOT Hazard Class: 5.1,8

DOT I.D. No. UN3098

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 74: ALKALINE CHROME LIQUID

Waste Description: ALKALINE CHROME LIQUID

EPA Waste Code:

DOT Shipping Name: Oxidizing liquid, corrosive, n.o.s.

DOT Hazard Class: 5.1

DOT I.D. No. UN3098

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 75: OXIDIZER LIQUID

Waste Description: OXIDIZER LIQUID

EPA Waste Code:

DOT Shipping Name: Oxidizing liquid, toxic, n.o.s.

DOT Hazard Class: 5.1

DOT I.D. No. UN3099

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 76: OXIDIZER LIQUID

Waste Description: OXIDIZER LIQUID

EPA Waste Code:

DOT Shipping Name: Oxidizing liquid, n.o.s.

DOT Hazard Class: 8

DOT I.D. No. UN3139

Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 77: ACID SOLID

Waste Description: ACID SOLID

EPA Waste Code:

DOT Shipping Name: Solids containing corrosive liquid, n.o.s.

DOT Hazard Class: 8

DOT I.D. No. UN3244

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 78: ALKALINE SOLID

Waste Description: ALKALINE SOLID

EPA Waste Code:

DOT Shipping Name: Solids containing corrosive liquid, n.o.s.

DOT Hazard Class: 8

DOT I.D. No. UN3244

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 79: ACID SOLID

Waste Description: ACID SOLID

EPA Waste Code:

DOT Shipping Name: Corrosive solid, acidic, inorganic, n.o.s.

DOT Hazard Class: 8

DOT I.D. No. UN3260

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 80: CHROMIC ACID SOLID

Waste Description: CHROMIC ACID SOLID

EPA Waste Code:

DOT Shipping Name: Corrosive solid, acidic, inorganic, n.o.s.

DOT Hazard Class: 8

DOT I.D. No. UN3260

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 81: ALKALINE SOLID

Waste Description: ALKALINE SOLID

EPA Waste Code:

DOT Shipping Name: Corrosive solid, basic, inorganic, n.o.s.

DOT Hazard Class: 8

DOT I.D. No. UN3262

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 82: ALKALINE CHROME SOLID

Waste Description: ALKALINE CHROME SOLID

EPA Waste Code:

DOT Shipping Name: Corrosive solid, basic, inorganic, n.o.s.

DOT Hazard Class: 8

DOT I.D. No. UN3262

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 83: ACID LIQUID MIXED

Waste Description: ACID LIQUID MIXED

EPA Waste Code:

DOT Shipping Name: Corrosive liquid, acidic, inorganic, n.o.s.

DOT Hazard Class: 8

DOT I.D. No. UN3264

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 84: CHROMIC ACID LIQUID

Waste Description: CHROMIC ACID LIQUID

EPA Waste Code:

DOT Shipping Name: Corrosive liquid, acidic, inorganic, n.o.s.

DOT Hazard Class: 8

DOT I.D. No. UN3264

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 85: ALKALINE LIQUID

Waste Description: ALKALINE LIQUID

EPA Waste Code:

DOT Shipping Name: Corrosive liquid, basic, inorganic, n.o.s.

DOT Hazard Class: 8

DOT I.D. No. UN3266

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 86: ALKALINE CHROME LIQUID

Waste Description: ALKALINE CHROME LIQUID

EPA Waste Code:

DOT Shipping Name: Corrosive liquid, basic, inorganic, n.o.s.

DOT Hazard Class: 6.1

DOT I.D. No. UN3266

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 87: CYANIDE LIQUID

Waste Description: CYANIDE LIQUID

EPA Waste Code:

DOT Shipping Name: Toxic liquid, inorganic, n.o.s.

DOT Hazard Class: 6.1

DOT I.D. No. UN3287

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 88: ALKALINE CHROME LIQUID

Waste Description: ALKALINE CHROME LIQUID

EPA Waste Code:

DOT Shipping Name: Toxic liquid, inorganic, n.o.s.

DOT Hazard Class: 6.1

DOT I.D. No. UN3287

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 89: NEUTRAL LIQUID

Waste Description: NEUTRAL LIQUID

EPA Waste Code:

DOT Shipping Name: Toxic liquid, inorganic, n.o.s.

DOT Hazard Class: 6.1

DOT I.D. No. UN3287

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 90: MERCURY LIQUID

Waste Description: MERCURY LIQUID

EPA Waste Code:

DOT Shipping Name: Toxic liquid, inorganic, n.o.s.

DOT Hazard Class: 6.1

DOT I.D. No. UN3287

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 91: NEUTRAL LIQUID

Waste Description: NEUTRAL LIQUID

EPA Waste Code:

DOT Shipping Name: Toxic liquid, inorganic, n.o.s.

DOT Hazard Class: 6.1

DOT I.D. No. UN3287

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 92: CYANIDE SOLID

Waste Description: CYANIDE SOLID

EPA Waste Code:

DOT Shipping Name: Toxic solid, inorganic, n.o.s.

DOT Hazard Class: 6.1

DOT I.D. No. UN3288

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 93: MERCURY SOLID/NEUTRAL SOLID

Waste Description: MERCURY SOLID/NEUTRAL SOLID

EPA Waste Code:

DOT Shipping Name: Toxic solid, inorganic, n.o.s.

DOT Hazard Class: 6.1

DOT I.D. No. UN3288

Total Volume to be Exported: 500 US Tons - (2,000 pounds)

Estimated Frequency: 80 loads Annually

Waste Stream 94: ALKALINE CHROME SOLID

Waste Description: ALKALINE CHROME SOLID

EPA Waste Code:

DOT Shipping Name: Toxic solid, inorganic, n.o.s.

DOT Hazard Class: 6.1

DOT I.D. No. UN3288

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 95: NEUTRAL SOLID

Waste Description: NEUTRAL SOLID

EPA Waste Code:

DOT Shipping Name: Toxic solid, inorganic, n.o.s.

DOT Hazard Class: 6.1

DOT I.D. No. UN3288

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 96: CYANIDE SOLID

Waste Description: CYANIDE SOLID

EPA Waste Code:

DOT Shipping Name: Toxic liquid, corrosive, inorganic, n.o.s.

DOT Hazard Class: 6.1

DOT I.D. No. UN3289

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 97: MERCURY LIQUID

Waste Description: MERCURY LIQUID

EPA Waste Code:

DOT Shipping Name: Toxic liquid, corrosive, inorganic, n.o.s.

DOT Hazard Class: 6.1

DOT I.D. No. UN3289

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 98: CYANIDE SOLID

Waste Description: CYANIDE SOLID

EPA Waste Code:

DOT Shipping Name: Toxic solid, corrosive, inorganic, n.o.s.

DOT Hazard Class: 6.1

DOT I.D. No. UN3290

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 99: MERCURY SOLID

Waste Description: MERCURY SOLID

EPA Waste Code:

DOT Shipping Name: Toxic solid, corrosive, inorganic, n.o.s.

DOT Hazard Class: 6.1

DOT I.D. No. UN3290

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

You may ship this waste to the following receiving facility/foreign importer:

STABLEX CANADA INC.
760 BOULEVARD INDUSTRIEL,
BLAINVILLE, QC, CA

Shipments may occur during the period from April 28, 2011, to April 26, 2012.

Please be advised of the following special RCRA requirements for export shipments of hazardous waste. These requirements are found at Title 40 Code of Federal Regulations, Part 262, Subpart E - Exports of Hazardous Waste.

1. If the major terms of the original notice should change, you must renotify EPA. Please send your renotification to: Environmental Protection Agency, Office of Enforcement and Compliance Assurance, Office of Federal Activities, International Compliance Assurance Division (2254A), Ariel Rios Building, 1200 Pennsylvania Avenue, N.W., Washington D.C. 20460, "Attention: Notification to Export" prominently displayed on the front of the envelope.


(§262.53(c))

2. The hazardous waste manifest for each shipment must identify the point of departure from the United States in Item 16. (§262.54(c))
3. A copy of this Acknowledgment of Consent must be attached to the U.S. hazardous waste manifest that accompanies each shipment of hazardous waste. (§262.54(h))
4. You must provide the transporter with an additional copy of the manifest for delivery to the U.S. Customs official at the point the hazardous waste leaves the United States in accordance with §263.20(g)(4). (§262.54(i))
5. You must file an exception report with the Office of Enforcement and Compliance Assurance, Office of Federal Activities, International Compliance Assurance Division (2254A), Environmental Protection Agency, Ariel Rios Building, 1200 Pennsylvania Avenue, N.W., Washington, D.C. 20460, if you have not received a copy of the manifest signed by the transporter stating the date and place of departure from the U.S. within forty-five (45) days from the date it was accepted by the initial transporter; if within ninety (90) days from the date the waste was accepted by the initial transporter, the primary exporter has not received written confirmation from the consignee that the hazardous waste was received; and the waste is returned to the United States. (§262.55)
6. You must file an annual report by March 1 of each year with the Environmental Protection Agency, Office of Federal Activities, International Compliance Assurance Division (2254A), Ariel Rios Building, 1200 Pennsylvania Avenue, N.W., Washington, D.C. 20460. (§262.56)

All shipments of hazardous waste must conform to all applicable state and federal hazardous waste regulations and transportation requirements, as well as these specific export requirements.

Any questions you may have concerning this Acknowledgment of Consent or other export requirements may be directed to Amanda Finnell, EPA, Office of Enforcement and Compliance Assurance, Office of Federal Activities, International Compliance Assurance Division (2254A), telephone number 202/564-1956, fax number 202/564-0025, finnell.amanda@epa.gov.

Sincerely,



For Robert G. Heiss, Director
International Compliance Assurance Division
Office of Federal Activities



UNITED STATES ENVIRONMENTAL
PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
ENFORCEMENT AND COMPLIANCE
ASSURANCE

April 4, 2012

CHRIS RANDER
CHEMICAL SOLVENTS, INC.
1010 DENISON AVE.,
CLEVELAND, OH US 44109
OHD980897656

Re: Foreign Notice ID:
EPA Notice ID: 004182/2E/12

Dear CHRIS RANDER:

This is to acknowledge receipt of your notice, which was received by EPA on February 21, 2012, of intent to export hazardous waste to Canada as required by Title 40, Code of Federal Regulations, Part 262, Subpart E, Section 262.53 promulgated pursuant to the Resource Conservation and Recovery Act (RCRA). In accordance with the U.S.-Canada Bilateral Agreement on the Transboundary Movement of Hazardous Waste, the U.S. Environmental Protection Agency (EPA) forwarded your notice to the Government of Canada and Canada has no objection to your shipment(s) of hazardous waste.

This letter constitutes the EPA Acknowledgment of Consent for the export of the following hazardous waste as specified in your notice:

Waste Stream 1: CONTAMINATED SOIL

Waste Description: CONTAMINATED SOIL

EPA WASTE CODE: SEE PAGE 23

DOT Shipping Name: Environmentally hazardous substances, solid, n.o.s.

DOT Hazard Class: 9

DOT I.D. No. NA3077

Total Volume to be Exported: 2000 US Tons - (2,000 pounds)

Estimated Frequency: 140 loads Annually

Waste Stream 2: ALKALINE CHROME SOLID

Waste Description: ALKALINE CHROME SOLID
EPA WASTE CODE: SEE PAGE 23
DOT Shipping Name: Environmentally hazardous substances, solid, n.o.s.
DOT Hazard Class: 9
DOT I.D. No. NA3077
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 3: CONTAMINATED SOIL

Waste Description: CONTAMINATED SOIL
EPA WASTE CODE: SEE PAGE 23
DOT Shipping Name: Environmentally hazardous substances, solid, n.o.s.
DOT Hazard Class: 9
DOT I.D. No. NA3077
Total Volume to be Exported: 2000 US Tons - (2,000 pounds)
Estimated Frequency: 140 loads Annually

Waste Stream 4: NEUTRAL SOLID

Waste Description: NEUTRAL SOLID
EPA WASTE CODE: SEE PAGE 23
DOT Shipping Name: Environmentally hazardous substances, solid, n.o.s.
DOT Hazard Class: 9
DOT I.D. No. NA3077
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 5: MERCURY SOLID

Waste Description: MERCURY SOLID
EPA WASTE CODE: SEE PAGE 23
DOT Shipping Name: Environmentally hazardous substances, solid, n.o.s.
DOT Hazard Class: 9
DOT I.D. No. NA3077
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 6: CONTAMINATED SOIL

Waste Description: CONTAMINATED SOIL
EPA WASTE CODE: SEE PAGE 23
DOT Shipping Name: Environmentally hazardous substances, solid, n.o.s.
DOT Hazard Class: 9
DOT I.D. No. NA3077
Total Volume to be Exported: 2000 US Tons - (2,000 pounds)
Estimated Frequency: 140 loads Annually

Waste Stream 7: NEUTRAL SOLID

Waste Description: NEUTRAL SOLID
EPA WASTE CODE: SEE PAGE 23
DOT Shipping Name: Environmentally hazardous substances, solid, n.o.s.
DOT Hazard Class: 9
DOT I.D. No. NA3077
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 8: CONTAMINATED SOIL

Waste Description: CONTAMINATED SOIL
EPA WASTE CODE: SEE PAGE 23
DOT Shipping Name: Environmentally hazardous substances, solid, n.o.s.
DOT Hazard Class: 9
DOT I.D. No. NA3077
Total Volume to be Exported: 2000 US Tons - (2,000 pounds)
Estimated Frequency: 140 loads Annually

Waste Stream 9: NEUTRAL SOLID

Waste Description: NEUTRAL SOLID
EPA WASTE CODE: SEE PAGE 23
DOT Shipping Name: Environmentally hazardous substances, solid, n.o.s.
DOT Hazard Class: 9
DOT I.D. No. NA3077
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 10: CONTAMINATED SOIL

Waste Description: CONTAMINATED SOIL
EPA WASTE CODE: SEE PAGE 23
DOT Shipping Name: Environmentally hazardous substances, solid, n.o.s.
DOT Hazard Class:
DOT I.D. No. UN3077
Total Volume to be Exported: 2000 US Tons - (2,000 pounds)
Estimated Frequency: 140 loads Annually

Waste Stream 11: NEUTRAL SOLID

Waste Description: NEUTRAL SOLID
EPA WASTE CODE: SEE PAGE 23
DOT Shipping Name: Environmentally hazardous substances, solid, n.o.s.
DOT Hazard Class: 9
DOT I.D. No. UN3077
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 12: CONTAMINATED SOIL

Waste Description: CONTAMINATED SOIL
EPA WASTE CODE: SEE PAGE 23
DOT Shipping Name: Environmentally hazardous substances, solid, n.o.s.
DOT Hazard Class: 9
DOT I.D. No. UN3077
Total Volume to be Exported: 2000 US Tons - (2,000 pounds)
Estimated Frequency: 140 loads Annually

Waste Stream 13: NEUTRAL SOLID

Waste Description: NEUTRAL SOLID
EPA WASTE CODE: SEE PAGE 23
DOT Shipping Name: Environmentally hazardous substances, solid, n.o.s.
DOT Hazard Class: 9
DOT I.D. No. UN3077
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 14: CONTAMINATED SOIL

Waste Description: CONTAMINATED SOIL
EPA WASTE CODE: SEE PAGE 23
DOT Shipping Name: Environmentally hazardous substances, solid, n.o.s.
DOT Hazard Class: 9
DOT I.D. No. UN3077
Total Volume to be Exported: 2000 US Tons - (2,000 pounds)
Estimated Frequency: 140 loads Annually

Waste Stream 15: NEUTRAL SOLID

Waste Description: NEUTRAL SOLID
EPA WASTE CODE: SEE PAGE 23
DOT Shipping Name: Environmentally hazardous substances, solid, n.o.s.
DOT Hazard Class: 9
DOT I.D. No. UN3077
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 16: CONTAMINATED SOIL

Waste Description: CONTAMINATED SOIL
EPA WASTE CODE: SEE PAGE 23
DOT Shipping Name: Environmentally hazardous substances, solid, n.o.s.
DOT Hazard Class: 9
DOT I.D. No. UN3077
Total Volume to be Exported: 2000 US Tons - (2,000 pounds)
Estimated Frequency: 140 loads Annually

Waste Stream 17: NEUTRAL SOLID

Waste Description: NEUTRAL SOLID

EPA WASTE CODE: SEE PAGE 23

DOT Shipping Name: Environmentally hazardous substances, solid, n.o.s.

DOT Hazard Class: 9

DOT I.D. No. UN3077

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 18: CONTAMINATED SOIL

Waste Description: CONTAMINATED SOIL

EPA WASTE CODE: SEE PAGE 23

DOT Shipping Name: Environmentally hazardous substances, solid, n.o.s.

DOT Hazard Class: 9

DOT I.D. No. UN3077

Total Volume to be Exported: 2000 US Tons - (2,000 pounds)

Estimated Frequency: 140 loads Annually

Waste Stream 19: NEUTRAL LIQUID

Waste Description: NEUTRAL LIQUID

EPA WASTE CODE: SEE PAGE 23

DOT Shipping Name: Environmentally hazardous substances, liquid, n.o.s.

DOT Hazard Class: 9

DOT I.D. No. NA3082

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 20: ALKALINE CHROME LIQUID

Waste Description: ALKALINE CHROME LIQUID

EPA WASTE CODE: SEE PAGE 23

DOT Shipping Name: Environmentally hazardous substances, liquid, n.o.s.

DOT Hazard Class: 9

DOT I.D. No. NA3082

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 21: NEUTRAL LIQUID

Waste Description: NEUTRAL LIQUID

EPA WASTE CODE: SEE PAGE 23

DOT Shipping Name: Environmentally hazardous substances, liquid, n.o.s.

DOT Hazard Class: 9

DOT I.D. No. NA3082

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 22: NEUTRAL LIQUID

Waste Description: NEUTRAL LIQUID
EPA WASTE CODE: SEE PAGE 23
DOT Shipping Name: Environmentally hazardous substances, liquid, n.o.s.
DOT Hazard Class: 9
DOT I.D. No. NA3082
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 23: NEUTRAL LIQUID

Waste Description: NEUTRAL LIQUID
EPA WASTE CODE: SEE PAGE 23
DOT Shipping Name: Environmentally hazardous substances, liquid, n.o.s.
DOT Hazard Class: 9
DOT I.D. No. NA3082
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 24: MERCURY LIQUID/NEUTRAL LIQUID

Waste Description: MERCURY LIQUID/NEUTRAL LIQUID
EPA WASTE CODE: SEE PAGE 23
DOT Shipping Name: Environmentally hazardous substances, liquid, n.o.s.
DOT Hazard Class: 9
DOT I.D. No. NA3082
Total Volume to be Exported: 500 US Tons - (2,000 pounds)
Estimated Frequency: 80 loads Annually

Waste Stream 25: NEUTRAL LIQUID

Waste Description: NEUTRAL LIQUID
EPA WASTE CODE: SEE PAGE 23
DOT Shipping Name: Environmentally hazardous substances, liquid, n.o.s.
DOT Hazard Class: 9
DOT I.D. No. NA3082
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 26: NEUTRAL LIQUID

Waste Description: NEUTRAL LIQUID
EPA WASTE CODE: SEE PAGE 23
DOT Shipping Name: Environmentally hazardous substances, liquid, n.o.s.
DOT Hazard Class: 9
DOT I.D. No. UN3082
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 27: NEUTRAL LIQUID

Waste Description: NEUTRAL LIQUID

EPA WASTE CODE: SEE PAGE 23

DOT Shipping Name: Environmentally hazardous substances, liquid, n.o.s.

DOT Hazard Class: 9

DOT I.D. No. UN3082

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 28: CHROMIC ACID SOLID

Waste Description: CHROMIC ACID SOLID

EPA WASTE CODE: SEE PAGE 23

DOT Shipping Name: Chromium trioxide, anhydrous

DOT Hazard Class: 5.1

DOT I.D. No. UN1463

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 29: OXIDIZER SOLID

Waste Description: OXIDIZER SOLID

EPA WASTE CODE: SEE PAGE 23

DOT Shipping Name: Oxidizing solid, n.o.s.

DOT Hazard Class: 5.1

DOT I.D. No. UN1479

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 30: OXIDIZER SOLID

Waste Description: OXIDIZER SOLID

EPA WASTE CODE: SEE PAGE 23

DOT Shipping Name: Sodium nitrate

DOT Hazard Class: 6.1

DOT I.D. No. UN1498

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 31: OXIDIZER SOLID

Waste Description: OXIDIZER SOLID

EPA WASTE CODE: SEE PAGE 23

DOT Shipping Name: Sodium nitrite

DOT Hazard Class: 5.1

DOT I.D. No. UN1500

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 32: CYANIDE SOLID

Waste Description: CYANIDE SOLID
EPA WASTE CODE: SEE PAGE 23
DOT Shipping Name: Cyanides, inorganic, solid, n.o.s.
DOT Hazard Class: 6.1
DOT I.D. No. UN1588
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 33: ALKALINE LIQUID

Waste Description: ALKALINE LIQUID
EPA WASTE CODE: SEE PAGE 23
DOT Shipping Name: Caustic alkali liquids, n.o.s.
DOT Hazard Class: 8
DOT I.D. No. UN1719
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 34: CHROMIC ACID LIQUID

Waste Description: CHROMIC ACID LIQUID
EPA WASTE CODE: SEE PAGE 23
DOT Shipping Name: Chromic acid solution
DOT Hazard Class: 8
DOT I.D. No. UN1755
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 35: ACID LIQUID MIXED

Waste Description: ACID LIQUID MIXED
EPA WASTE CODE: SEE PAGE 23
DOT Shipping Name: Corrosive liquids, n.o.s.
DOT Hazard Class: 8
DOT I.D. No. UN1760
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 36: ALKALINE LIQUID

Waste Description: ALKALINE LIQUID
EPA WASTE CODE: SEE PAGE 23
DOT Shipping Name: Corrosive liquids, n.o.s.
DOT Hazard Class: 8
DOT I.D. No. UN1760
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 37: ACID LIQUID MIXED

Waste Description: ACID LIQUID MIXED

EPA WASTE CODE: SEE PAGE 23

DOT Shipping Name: Hydrochloric acid

DOT Hazard Class: 8

DOT I.D. No. UN1789

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 38: ACID LIQUID MIXED

Waste Description: ACID LIQUID MIXED

EPA WASTE CODE: SEE PAGE 23

DOT Shipping Name: Phosphoric acid solution

DOT Hazard Class: 8

DOT I.D. No. UN1805

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 39: ALKALINE SOLID

Waste Description: ALKALINE SOLID

EPA WASTE CODE: SEE PAGE 23

DOT Shipping Name: Potassium hydroxide, solid

DOT Hazard Class: 8

DOT I.D. No. UN1813

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 40: ALKALINE LIQUID

Waste Description: ALKALINE LIQUID

EPA WASTE CODE: SEE PAGE 23

DOT Shipping Name: Potassium hydroxide, solution

DOT Hazard Class: 8

DOT I.D. No. UN1814

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 41: ALKALINE SOLID

Waste Description: ALKALINE SOLID

EPA WASTE CODE: SEE PAGE 23

DOT Shipping Name: Sodium hydroxide, solid

DOT Hazard Class: 8

DOT I.D. No. UN1823

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 42: ALKALINE LIQUID

Waste Description: ALKALINE LIQUID
EPA WASTE CODE: SEE PAGE 23
DOT Shipping Name: Sodium hydroxide solution
DOT Hazard Class: 8
DOT I.D. No. UN1824
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 43: ACID LIQUID MIXED

Waste Description: ACID LIQUID MIXED
EPA WASTE CODE: SEE PAGE 23
DOT Shipping Name: Sulfuric acid with more than 51 percent acid
DOT Hazard Class: 8
DOT I.D. No. UN1830
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 44: CYANIDE LIQUID

Waste Description: CYANIDE LIQUID
EPA WASTE CODE: SEE PAGE 23
DOT Shipping Name: Cyanide solutions, n.o.s.
DOT Hazard Class: 6.1
DOT I.D. No. UN1935
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 45: MERCURY LIQUID

Waste Description: MERCURY LIQUID
EPA WASTE CODE: SEE PAGE 23
DOT Shipping Name: Mercury compounds, liquid, n.o.s.
DOT Hazard Class: 6.1
DOT I.D. No. UN2024
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 46: MERCURY SOLID

Waste Description: MERCURY SOLID
EPA WASTE CODE: SEE PAGE 23
DOT Shipping Name: Mercury compounds, solid, n.o.s.
DOT Hazard Class: 6.1
DOT I.D. No. UN2025
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 47: ACID LIQUID MIXED

Waste Description: ACID LIQUID MIXED

EPA WASTE CODE: SEE PAGE 23

DOT Shipping Name: Nitric acid other than red fuming, with not more than 20 percent nitric acid

DOT Hazard Class: 8

DOT I.D. No. UN2031

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 48: WASTE BATTERIES

Waste Description: WASTE BATTERIES

EPA WASTE CODE: SEE PAGE 23

DOT Shipping Name: Batteries, wet, filled with acid, electric storage

DOT Hazard Class: 8

DOT I.D. No. UN2794

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 49: WASTE BATTERIES

Waste Description: WASTE BATTERIES

EPA WASTE CODE: SEE PAGE 23

DOT Shipping Name: Batteries, wet, filled with alkali, electric storage

DOT Hazard Class: 8

DOT I.D. No. UN2795

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 50: NEUTRAL LIQUID

Waste Description: NEUTRAL LIQUID

EPA WASTE CODE: SEE PAGE 23

DOT Shipping Name: Toxic, liquids, organic, n.o.s.

DOT Hazard Class: 6.1

DOT I.D. No. UN2810

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 51: NEUTRAL SOLID

Waste Description: NEUTRAL SOLID

EPA WASTE CODE: SEE PAGE 23

DOT Shipping Name: Toxic solids, organic, n.o.s.

DOT Hazard Class: 6.1

DOT I.D. No. UN2811

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 52: WASTE BATTERIES

Waste Description: WASTE BATTERIES

EPA WASTE CODE: SEE PAGE 23

DOT Shipping Name: Water-reactive solid, n.o.s.

DOT Hazard Class: 4.3

DOT I.D. No. UN2813

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 53: ACID LIQUID MIXED

Waste Description: ACID LIQUID MIXED

EPA WASTE CODE: SEE PAGE 23

DOT Shipping Name: Corrosive liquids, toxic, n.o.s.

DOT Hazard Class: 8

DOT I.D. No. UN2922

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 54: ALKALINE LIQUID

Waste Description: ALKALIN LIQUID

EPA WASTE CODE: SEE PAGE 23

DOT Shipping Name: Corrosive liquids, toxic, n.o.s.

DOT Hazard Class: 8

DOT I.D. No. UN2922

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 55: MERCURY LIQUID

Waste Description: MERCURY LIQUID

EPA WASTE CODE: SEE PAGE 23

DOT Shipping Name: Corrosive liquids, toxic, n.o.s.

DOT Hazard Class: 8

DOT I.D. No. UN2922

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 56: ACID SOLID

Waste Description: ACID SOLID

EPA WASTE CODE: SEE PAGE 23

DOT Shipping Name: Corrosive solids, toxic, n.o.s.

DOT Hazard Class: 8

DOT I.D. No. UN2923

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 57: ALKALINE SOLID

Waste Description: ALKALINE SOLID

EPA WASTE CODE: SEE PAGE 23

DOT Shipping Name: Corrosive solids, toxic, n.o.s.

DOT Hazard Class: 8

DOT I.D. No. UN2923

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 58: WASTE BATTERIES

Waste Description: WASTE BATTERIES

EPA WASTE CODE: SEE PAGE 23

DOT Shipping Name: Batteries, dry, containing potassium hydroxide solid, electric, storage

DOT Hazard Class: 8

DOT I.D. No. UN3028

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 59: ACID SOLID

Waste Description: ACID SOLID

EPA WASTE CODE: SEE PAGE 23

DOT Shipping Name: Corrosive solids, oxidizing, n.o.s.

DOT Hazard Class: 8

DOT I.D. No. UN3084

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 60: CHROMIC ACID SOLID

Waste Description: CHROMIC ACID SOLID

EPA WASTE CODE: SEE PAGE 23

DOT Shipping Name: Corrosive solids, oxidizing, n.o.s.

DOT Hazard Class: 8

DOT I.D. No. UN3084

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 61: ALKALINE CHROME SOLID

Waste Description: ALKALINE CHROME SOLID

EPA WASTE CODE: SEE PAGE 23

DOT Shipping Name: Corrosive solids, oxidizing, n.o.s.

DOT Hazard Class: 8

DOT I.D. No. UN3084

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 62: ALKALINE SOLID

Waste Description: ALKALINE SOLID
EPA WASTE CODE: SEE PAGE 23
DOT Shipping Name: Corrosive solids, oxidizing, n.o.s.
DOT Hazard Class: 8
DOT I.D. No. UN3084
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 63: CHROMIC ACID SOLID

Waste Description: CHROMIC ACID SOLID
EPA WASTE CODE: SEE PAGE 23
DOT Shipping Name: Oxidizing solid, corrosive, n.o.s.
DOT Hazard Class: 5.1
DOT I.D. No. UN3085
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 64: ALKALINE CHROME SOLID

Waste Description: ALKALINE CHROME SOLID
EPA WASTE CODE: SEE PAGE 23
DOT Shipping Name: Oxidizing solid, corrosive, n.o.s.
DOT Hazard Class: 5.1
DOT I.D. No. UN3085
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 65: OXIDIZER SOLID

Waste Description: OXIDIZER SOLID
EPA WASTE CODE: SEE PAGE 23
DOT Shipping Name: Oxidizing solid, corrosive, n.o.s.
DOT Hazard Class: 5.1
DOT I.D. No. UN3085
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 66: OXIDIZER SOLID

Waste Description: OXIDIZER SOLID
EPA WASTE CODE: SEE PAGE 23
DOT Shipping Name: Oxidizing solid, toxic, n.o.s.
DOT Hazard Class: 5.1
DOT I.D. No. UN3087
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 67: WASTE BATTERIES

Waste Description: WASTE BATTERIES
EPA WASTE CODE: SEE PAGE 23
DOT Shipping Name: Lithium batteries, contained in equipment
DOT Hazard Class: 9
DOT I.D. No. UN3091
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 68: ACID LIQUID MIXED

Waste Description: ACID LIQUID MIXED
EPA WASTE CODE: SEE PAGE 23
DOT Shipping Name: Corrosive liquids, oxidizing, n.o.s.
DOT Hazard Class: 8
DOT I.D. No. UN3093
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 69: CHROMIC ACID LIQUID

Waste Description: CHROMIC ACID LIQUID
EPA WASTE CODE: SEE PAGE 23
DOT Shipping Name: Corrosive liquids, oxidizing, n.o.s.
DOT Hazard Class: 8
DOT I.D. No. UN3093
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 70: ALKALINE CHROME LIQUID

Waste Description: ALKALINE CHROME LIQUID
EPA WASTE CODE: SEE PAGE 23
DOT Shipping Name: Corrosive liquids, oxidizing, n.o.s.
DOT Hazard Class: 8
DOT I.D. No. UN3093
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 71: ALKALINE LIQUID

Waste Description: ALKALINE LIQUID
EPA WASTE CODE: SEE PAGE 23
DOT Shipping Name: Corrosive liquids, oxidizing, n.o.s.
DOT Hazard Class: 8
DOT I.D. No. UN3093
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 72: CHROMIC ACID LIQUID

Waste Description: CHROMIC ACID LIQUID

EPA WASTE CODE: SEE PAGE 23

DOT Shipping Name: Oxidizing liquid, corrosive, n.o.s.

DOT Hazard Class: 5.1

DOT I.D. No. UN3098

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 73: OXIDIZER LIQUID

Waste Description: OXIDIZER LIQUID

EPA WASTE CODE: SEE PAGE 23

DOT Shipping Name: Oxidizing liquid, corrosive, n.o.s.

DOT Hazard Class: 5.1

DOT I.D. No. UN3098

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 74: ALKALINE CHROME LIQUID

Waste Description: ALKALINE CHROME LIQUID

EPA WASTE CODE: SEE PAGE 23

DOT Shipping Name: Oxidizing liquid, corrosive, n.o.s.

DOT Hazard Class: 5.1

DOT I.D. No. UN3098

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 75: OXIDIZER LIQUID

Waste Description: OXIDIZER LIQUID

EPA WASTE CODE: SEE PAGE 23

DOT Shipping Name: Oxidizing liquid, toxic, n.o.s.

DOT Hazard Class: 5.1

DOT I.D. No. UN3099

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 76: OXIDIZER LIQUID

Waste Description: OXIDIZER LIQUID

EPA WASTE CODE: SEE PAGE 23

DOT Shipping Name: Oxidizing liquid, n.o.s.

DOT Hazard Class: 5.1

DOT I.D. No. UN3139

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 77: ACID SOLID

Waste Description: ACID SOLID

EPA WASTE CODE: SEE PAGE 23

DOT Shipping Name: Solids containing corrosive liquid, n.o.s.

DOT Hazard Class: 8

DOT I.D. No. UN3244

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 78: ALKALINE SOLID

Waste Description: ALKALINE SOLID

EPA WASTE CODE: SEE PAGE 23

DOT Shipping Name: Solids containing corrosive liquid, n.o.s.

DOT Hazard Class: 8

DOT I.D. No. UN3244

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 79: ACID SOLID

Waste Description: ACID SOLID

EPA WASTE CODE: SEE PAGE 23

DOT Shipping Name: Corrosive solid, acidic, inorganic, n.o.s.

DOT Hazard Class: 8

DOT I.D. No. UN3260

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 80: CHROMIC ACID SOLID

Waste Description: CHROMIC ACID SOLID

EPA WASTE CODE: SEE PAGE 23

DOT Shipping Name: Corrosive solid, acidic, inorganic, n.o.s.

DOT Hazard Class: 8

DOT I.D. No. UN3260

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 81: ALKALINE SOLID

Waste Description: ALKALINE SOLID

EPA WASTE CODE: SEE PAGE 23

DOT Shipping Name: Corrosive solid, basic, inorganic, n.o.s.

DOT Hazard Class: 8

DOT I.D. No. UN3262

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually